

Starting Octave

octave start interactive Octave session
 octave *file* run Octave on commands in *file*
 octave --help describe command line options

Stopping Octave

quit or exit exit Octave
 INTERRUPT (*e.g.* C-c) terminate current command
 and return to top-level prompt

Getting Help

help list all commands and built-in variables
 help *command* briefly describe *command*
 help -i use Info to browse Octave manual
 help -i *command* search for *command* in Octave manual

Motion in Info

SPC or C-v scroll forward one screenful
 DEL or M-v scroll backward one screenful
 C-l redraw the display

Node Selection in Info

n select the next node
 p select the previous node
 u select the 'up' node
 t select the 'top' node
 d select the directory node
 < select the first node in the current file
 > select the last node in the current file
 g reads the name of a node and selects it
 C-x k kills the current node

Searching in Info

s search for a string
 C-s search forward incrementally
 C-r search backward incrementally
 i search index & go to corresponding node
 , go to next match from last 'i' command

Command-Line Cursor Motion

C-b move back one character
 C-f move forward one character
 C-a move the the start of the line
 C-e move to the end of the line
 M-f move forward a word
 M-b move backward a word
 C-l clear screen, reprinting current line at top

Inserting or Changing Text

M-TAB insert a tab character
 DEL delete character to the left of the cursor
 C-d delete character under the cursor
 C-v add the next character verbatim
 C-t transpose characters at the point
 M-t transpose words at the point

[] surround optional arguments ... show one or more arguments

Killing and Yanking

C-k kill to the end of the line
 C-y yank the most recently killed text
 M-d kill to the end of the current word
 M-DEL kill the word behind the cursor
 M-y rotate the kill ring and yank the new top

Command Completion and History

TAB complete a command or variable name
 M-? list possible completions
 RET enter the current line
 C-p move 'up' through the history list
 C-n move 'down' through the history list
 M-< move to the first line in the history
 M-> move to the last line in the history
 C-r search backward in the history list
 C-s search forward in the history list

history [-q] [N] list *N* previous history lines, omitting
 history numbers if -q

history -w [file] write history to *file* (~/.octave_hist if
 no *file* argument)

history -r [file] read history from *file* (~/.octave_hist if
 no *file* argument)

edit_history *lines* edit and then run previous commands
 from the history list

run_history *lines* run previous commands from the history
 list

[beg] [end] Specify the first and last history
 commands to edit or run.

If *beg* is greater than *end*, reverse the list of commands
 before editing. If *end* is omitted, select commands from
beg to the end of the history list. If both arguments are
 omitted, edit the previous item in the history list.

Shell Commands

cd *dir* change working directory to *dir*
 pwd print working directory
 ls [options] print directory listing
 getenv (*string*) return value of named environment
 variable
 system (*cmd*) execute arbitrary shell command string

Matrices

Square brackets delimit literal matrices. Commas separate
 elements on the same row. Semicolons separate rows. Commas
 may be replaced by spaces, and semicolons may be replaced by
 one or more newlines. Elements of a matrix may be arbitrary
 expressions, provided that all the dimensions agree.

[*x*, *y*, ...] enter a row vector
 [*x*; *y*; ...] enter a column vector
 [*w*, *x*; *y*, *z*] enter a 2×2 matrix

Ranges

base : *limit*
base : *incr* : *limit*

Specify a range of values beginning with *base* with no
 elements greater than *limit*. If it is omitted, the default
 value of *incr* is 1. Negative increments are permitted.

Strings and C

A *string constant*
 in either double-qu
 \\
 \"
 \"
 \n
 \t

Index Express

var (*idx*)
var (*idx1*, *idx2*)
scalar

vector

range

:

Global Variab

global *var1* ...
 Global variables
 function without
 parameter list p
 the function.

Selected Buil

EDITOR
 Inf, NaN
 LOADPATH
 PAGER
 ans
 eps
 pi
 realmax
 realmin

automatic_replot
 do_fortran_index
 implicit_str_to_1
 output_max_field
 output_precision
 page_screen_outp
 prefer_column_ve
 resize_on_range.e
 save_precision
 silent_functions
 warn.divide_by_ze

commas_in_litera
 control handling

ignore_function.
 ignore changes i

ok_to_lose_imagin
 allow complex t

prefer_zero_one.
 if ambiguous, p

Arithmetic and Increment Operators

<code>x + y</code>	addition
<code>x - y</code>	subtraction
<code>x * y</code>	matrix multiplication
<code>x .* y</code>	element by element multiplication
<code>x / y</code>	right division, conceptually equivalent to <code>(inverse (y') * x')</code>
<code>x ./ y</code>	element by element right division
<code>x \ y</code>	left division, conceptually equivalent to <code>inverse (x) * y</code>
<code>x .\ y</code>	element by element left division
<code>x ^ y</code>	power operator
<code>x .^ y</code>	element by element power operator
<code>- x</code>	negation
<code>+ x</code>	unary plus (a no-op)
<code>x '</code>	complex conjugate transpose
<code>x .'</code>	transpose
<code>++ x</code> (<code>-- x</code>)	increment (decrement) <i>x</i> , return <i>new</i> value
<code>x ++</code> (<code>x --</code>)	increment (decrement) <i>x</i> , return <i>old</i> value

Assignment Expressions

<code>var = expr</code>	assign expression to variable
<code>var (idx) = expr</code>	assign expression to indexed variable

Comparison and Boolean Operators

These operators work on an element-by-element basis. Both arguments are always evaluated.

<code>x < y</code>	true if <i>x</i> is less than <i>y</i>
<code>x <= y</code>	true if <i>x</i> is less than or equal to <i>y</i>
<code>x == y</code>	true if <i>x</i> is equal to <i>y</i>
<code>x >= y</code>	true if <i>x</i> is greater than or equal to <i>y</i>
<code>x > y</code>	true if <i>x</i> is greater than <i>y</i>
<code>x != y</code>	true if <i>x</i> is not equal to <i>y</i>
<code>x & y</code>	true if both <i>x</i> and <i>y</i> are true
<code>x y</code>	true if at least one of <i>x</i> or <i>y</i> is true
<code>! bool</code>	true if <i>bool</i> is false

Short-circuit Boolean Operators

Operators evaluate left-to-right, expecting scalar operands. Operands are only evaluated if necessary, stopping once overall truth value can be determined. Operands are converted to scalars by applying the `all` function.

<code>x && y</code>	true if both <i>x</i> and <i>y</i> are true
<code>x y</code>	true if at least one of <i>x</i> or <i>y</i> is true

Operator Precedence

Here is a table of the operators in Octave, in order of increasing precedence.

<code>;</code> <code>,</code>	statement separators
<code>=</code>	assignment, groups left to right
<code> </code> <code>&&</code>	logical “or” and “and”
<code> </code> <code>&</code>	element-wise “or” and “and”
<code><</code> <code><=</code> <code>==</code> <code>>=</code> <code>></code> <code>!=</code>	relational operators
<code>:</code>	colon
<code>+</code> <code>-</code>	addition and subtraction
<code>*</code> <code>/</code> <code>\</code> <code>.*</code> <code>./</code> <code>.\</code>	multiplication and division
<code>'</code> <code>.'</code>	transpose
<code>+</code> <code>-</code> <code>++</code> <code>--</code> <code>!</code>	unary minus, increment, logical “not”
<code>^</code> <code>.^</code>	exponentiation

Statements

`for identifier = expr stmt-list endfor`
Execute *stmt-list* once for each column of *expr*. The variable *identifier* is set to the value of the current column during each iteration.

`while (condition) stmt-list endwhile`
Execute *stmt-list* while *condition* is true.

`break` exit innermost loop
`continue` go to beginning of innermost loop
`return` return to calling function

`if (condition) if-body [else else-body] endif`
Execute *if-body* if *condition* is true, otherwise execute *else-body*.

`if (condition) if-body [elseif (condition) elseif-body] endif`
Execute *if-body* if *condition* is true, otherwise execute the *elseif-body* corresponding to the first `elseif` condition that is true, otherwise execute *else-body*.
Any number of `elseif` clauses may appear in an `if` statement.

`unwind_protect body unwind_protect_cleanup cleanup end`
Execute *body*. Execute *cleanup* no matter how control exits *body*.

Defining Functions

`function [ret-list] function-name [(arg-list)]`
function-body
`endfunction`

ret-list may be a single identifier or a comma-separated list of identifiers delimited by square-brackets.

arg-list is a comma-separated list of identifiers and may be empty.

Basic Matrix Manipulations

`rows (a)` return number of rows of *a*
`columns (a)` return number of columns of *a*
`all (a)` check if all elements of *a* nonzero
`any (a)` check if any elements of *a* nonzero
`find (a)` return indices of nonzero elements
`sort (a)` order elements in each column of *a*
`sum (a)` sum elements in columns of *a*
`prod (a)` product of elements in columns of *a*
`min (args)` find minimum values
`max (args)` find maximum values
`rem (x, y)` find remainder of *x/y*
`reshape (a, m, n)` reformat *a* to be *m* by *n*

`diag (v, k)` create diagonal matrices
`linspace (b, l, n)` create vector of linearly-spaced elements
`logspace (b, l, n)` create vector of log-spaced elements
`eye (n, m)` create *n* by *m* identity matrix
`ones (n, m)` create *n* by *m* matrix of ones
`zeros (n, m)` create *n* by *m* matrix of zeros
`rand (n, m)` create *n* by *m* matrix of random values

Linear Algebra

`chol (a)`
`det (a)`
`eig (a)`
`expm (a)`
`hess (a)`
`inverse (a)`
`norm (a, p)`
`pinv (a)`
`qr (a)`
`rank (a)`
`schur (a)`
`svd (a)`
`syl (a, b, c)`

Equations, O

`*fsolve`
`*lsode`
`*dassl`
`*quad`

`perror (nm, code)`

* See the on-line documentation for arguments for these functions.

Signal Process

`fft (a)`
`ifft (a)`
`freqz (args)`
`sinc (x)`

Image Process

`colormap (map)`
`gray2ind (i, n)`
`image (img, zoom)`
`imagesc (img, zoom)`
`imshow (img, map)`
`imshow (i, n)`
`imshow (r, g, b)`
`ind2gray (img, n)`
`ind2rgb (img, map)`
`loadimage (file)`
`rgb2ind (r, g, b)`
`saveimage (file, i)`

Sets

`create_set (a, b)`
`complement (a, b)`
`intersection (a, b)`
`union (a, b)`

Strings

`strcmp (s, t)`
`strcat (s, t, ...)`

C-style Input and Output

<code>fopen</code> (<i>name, mode</i>)	open file <i>name</i>
<code>fclose</code> (<i>file</i>)	close <i>file</i>
<code>printf</code> (<i>fmt, ...</i>)	formatted output to <code>stdout</code>
<code>fprintf</code> (<i>file, fmt, ...</i>)	formatted output to <i>file</i>
<code>sprintf</code> (<i>fmt, ...</i>)	formatted output to string
<code>scanf</code> (<i>fmt</i>)	formatted input from <code>stdin</code>
<code>fscanf</code> (<i>file, fmt</i>)	formatted input from <i>file</i>
<code>sscanf</code> (<i>str, fmt</i>)	formatted input from <i>string</i>
<code>fgets</code> (<i>file, len</i>)	read <i>len</i> characters from <i>file</i>
<code>fflush</code> (<i>file</i>)	flush pending output to <i>file</i>
<code>ftell</code> (<i>file</i>)	return file pointer position
<code>frewind</code> (<i>file</i>)	move file pointer to beginning
<code>freport</code>	print a info for open files
<code>fread</code> (<i>file, size, prec</i>)	read binary data files
<code>fwrite</code> (<i>file, size, prec</i>)	write binary data files
<code>feof</code> (<i>file</i>)	determine if pointer is at EOF

A file may be referenced either by name or by the number returned from `fopen`. Three files are preconnected when Octave starts: `stdin`, `stdout`, and `stderr`.

Other Input and Output functions

<code>save</code> <i>file var ...</i>	save variables in <i>file</i>
<code>load</code> <i>file</i>	load variables from <i>file</i>
<code>disp</code> (<i>var</i>)	display value of <i>var</i> to screen

Miscellaneous Functions

<code>eval</code> (<i>str</i>)	evaluate <i>str</i> as a command
<code>feval</code> (<i>str, ...</i>)	evaluate function named by <i>str</i> , passing remaining args to called function
<code>error</code> (<i>message</i>)	print message and return to top level
<code>clear</code> <i>pattern</i>	clear variables matching <i>pattern</i>
<code>exist</code> (<i>str</i>)	check existence of variable or function
<code>who</code>	list current variables

Polynomials

<code>compan</code> (<i>p</i>)	companion matrix
<code>conv</code> (<i>a, b</i>)	convolution
<code>deconv</code> (<i>a, b</i>)	deconvolve two vectors
<code>poly</code> (<i>a</i>)	create polynomial from a matrix
<code>polyderiv</code> (<i>p</i>)	derivative of polynomial
<code>polyreduce</code> (<i>p</i>)	integral of polynomial
<code>polyval</code> (<i>p, x</i>)	value of polynomial at <i>x</i>
<code>polyvalm</code> (<i>p, x</i>)	value of polynomial at <i>x</i>
<code>roots</code> (<i>p</i>)	polynomial roots
<code>residue</code> (<i>a, b</i>)	partial fraction expansion of ratio <i>a/b</i>

Statistics

<code>corrcoef</code> (<i>x, y</i>)	correlation coefficient
<code>cov</code> (<i>x, y</i>)	covariance
<code>mean</code> (<i>a</i>)	mean value
<code>median</code> (<i>a</i>)	median value
<code>std</code> (<i>a</i>)	standard deviation
<code>var</code> (<i>a</i>)	variance

Basic Plotting

<code>plot</code> [<i>ranges</i>] <i>expr</i> [<i>using</i>] [<i>title</i>] [<i>style</i>]	2D plotting
<code>gplot</code> [<i>ranges</i>] <i>expr</i> [<i>using</i>] [<i>title</i>] [<i>style</i>]	3D plotting
<i>ranges</i>	specify data ranges
<i>expr</i>	expression to plot
<i>using</i>	specify columns to plot
<i>title</i>	specify line title for legend
<i>style</i>	specify line style

If *ranges* are supplied, they must come before the expression to plot. The *using*, *title*, and *style* options may appear in any order after *expr*. Multiple expressions may be plotted with a single command by separating them with commas.

<code>set</code> <i>options</i>	set plotting options
<code>show</code> <i>options</i>	show plotting options
<code>replot</code>	redisplay current plot
<code>closeplot</code>	close stream to <code>gnuplot</code> process
<code>purge.tmp_files</code>	clean up temporary plotting files
<code>automatic_replot</code>	built-in variable

Other Plotting Functions

<code>plot</code> (<i>args</i>)	2D plot with linear axes
<code>semilogx</code> (<i>args</i>)	2D plot with logarithmic x-axis
<code>semilogy</code> (<i>args</i>)	2D plot with logarithmic y-axis
<code>loglog</code> (<i>args</i>)	2D plot with logarithmic axes
<code>bar</code> (<i>args</i>)	plot bar charts
<code>stairs</code> (<i>x, y</i>)	plot stairsteps
<code>hist</code> (<i>y, x</i>)	plot histograms
<code>title</code> (<i>string</i>)	set plot title
<code>axis</code> (<i>limits</i>)	set axis ranges
<code>xlabel</code> (<i>string</i>)	set x-axis label
<code>ylabel</code> (<i>string</i>)	set y-axis label
<code>grid</code> [<i>on off</i>]	set grid state
<code>hold</code> [<i>on off</i>]	set hold state
<code>ishold</code>	return 1 if hold is on, 0 otherwise
<code>mesh</code> (<i>x, y, z</i>)	plot 3D surface
<code>meshdom</code> (<i>x, y</i>)	create mesh coordinate matrices

Edition 1.1 for Octave Version 1.1.1. Copyright 1996, John W. Eaton (jwe@che.utexas.edu). The author assumes no responsibility for any errors on this card.

This card may be freely distributed under the terms of the GNU General Public License.

T_EX Macros for this card by Roland Pesch (pesch@cygnus.com), originally for the GDB reference card

Octave itself is free software; you are welcome to distribute copies of it under the terms of the GNU General Public License. There is absolutely no warranty for Octave.